

- User Gmn: Latin user comm...

- Variant:
in Latin script

* Character is the
"Same" if ~~(glyph)~~

- Visual

- "meaning"

≅ alt. represent.
/interchangeable

* Unicode up/Low case
handling

Action item: Mats to use

- PVALID

- MSR-3/2

- Latin Script Rep.

Unicode DB to
look for more
cases ~~if~~

- Repertoire:
in Saue

Unicode Uppercase/Lowercase Handling

① Small ~~letter~~ dotless i

~~Uppercase~~ Uppercase(i) = I

Uppercase(i) = I

When non-Turkish Locale Settings

İ İ

ı ı

SAME = Alternate Representation

① ß / ss

Sharp S vs "ss" (latin small)
letter s x 2

* .de do not treat the two
code points as variants

* look at other ccTLDs with
german ~~lang~~ IDN Tables

Action item: M. Bawland

Action item: Request GP for
other examples with
evidence

Variant Discovery Approach for the Latin Script RZ LGR

- ① Request GP members to provide candidates with evidence
Give example in the call to action
- ② Research language references from Latin LGR Code Points List
 - ① Retrieve language information from List of Languages (wiki). Start with EUIDS 1 → 4
Ref: Code Point List references
Omnight
Wikipedia
 - ② Capture variant candidates in spreadsheet: Latin script variant candidates in Dropbox
 - ③ Save evidence in Lang. Dropbox folder

DEF. of VARIANT IN LATIN SCRIPT ACROSS SCRIPTS

① SAME VISUAL REPRESENTATION GLYPH

- FONT / TYPE FACE

SERIF/SANS-SERIF : TIMES NEW ROMAN / ARIAL

PROPORTIONAL/FIXED WIDTH: TIMES NEW ROMAN, ARIAL / COURIER NEW


GENERALLY EMPLOYED BY APPS

- FONT SIZE

11, 12 (100% ZOOM)

- POSITIONING (e.g. baseline)

SCORING :



Potential font style difference

Action item:
Dennis to recreate worksheets